

GT for Jeep Part# 40440

MSRP: \$587.99

for Gauge, Tuner & Trail Tool G °JEEP

GAUGES





Engine Temps



Transmission Temps



Engine Load



Many More

TUNER & TRAIL TOOLS



Power Tuning



Off-Road Tuning



Gear Ratio Calibration



Tire Size Calibration



TPMS Tire Pressure Monitoring System



M Idle Up



Engine Fan



Lockers



Traction Control



Sway Bar Disconnect



Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0



Bully Dog has stepped up to meet the demands of Jeep enthusiasts with the new Triple Dog GT for Jeep®; the new Jeep-focused gauge tuner is a must-have for a great off-road experience.

The Bully Dog Triple Dog GT Gas Tuner optimizes your Jeep's performance in a major way. Jeep owners can enjoy tuning, monitoring capabilities, and special features exclusive to Bully Dog's product line. Once the GT is downloaded, it also allows for speed and rev limiters, transmission shift point adjustments, speedometer and gear ratio calibration. All of the Trail features can be adjusted on the fly without needing to re-download. Install our GT for Jeep and discover a whole new world of additional capabilities for your powerful Jeep.

GAUGE



Driving Coach



Engine Temps



Transmission Temps



Engine Load



Many More

TUNER & TRAIL TOOLS



Power Tuning



Off-Road Tuning



Gear Ratio Calibration



Tire Size Calibration



TPMS Tire Pressure Monitoring System



ldle Up



Engine Fan



Lockers



Traction Control



Sway Bar Disconnect



POWER: 12+ HP/ 15+ LBS. FT.

UPC CODE: 681018404402

PACKAGING WEIGHT: 2 LBS

PACKAGING DIMENSIONS: 12.5" x 12.5" x 4"



Gas 101 Jeep Part# 40440 Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0

GAUGES

The Bully Dog GT for Jeep equips you for whatever the trail can throw at you, letting you keep an eye on your rig's vitals with fully customizable gauges. Monitor RPM, exhaust gas temperature, transmission temperature and more quickly and easily. And with both analog and digital options as well as the ability to monitor five engine features at the same time, you can tell at a glance if your Jeep is behaving the way you want it to.



Driving Coach

Monitor your driving habits to improve fuel economy.



Audible Alerts

Set parameters to recieve audible alerts.



Engine Temps

You'll want to keep an eye on your Engine Temp. No problem the GT will provide you live accurate data with audible alerts.



Many More

There are many other vehicle parameters available for you to monitor.

- Pyro
- Speed
- RPM
- Coolant Temperature
- Timing
- Transmision Temperature
- Throttle Position
- Intake Temperature
- Mass Air Flow
- Barometer
- Battery Voltage
- Load
- Injector Pulse Width
- Fuel Economy
- Fuel Flow
- A/F Ratio



Transmission Temps

When you're out putting your Jeep through its paces, keep an eye on your Transmission Temps. while listening for audible alerts.



Engine Load

Off-Roading in any form will put different amounts of load on your engine. The GT gives you instant feedback on engine load.



Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0

TUNER



Power Tuning

For times when you just need more power.

Premium: Horsepower tune for engines running premium fuel (91+ octane).

Regular: Horsepower tune for engines running regular fuel (85-90 octane).

Stock: No change in engine performance, but other tuning features can still be used.



Off-Road Tuning (Wrangler only)

When you head off-road this tune will give you more power and more control of the throttle for challenging terrain.

Trail: Throttle response is turned down for more control during bumpy off-road driving.

PEAK POWER LEVELS (Wrangler)

Stock:

140.2 HP@ 4,626 rpm 166.6 lbs.ft. @ 3,842 rpm


Bully Dog Tuned

147.8 HP@ 4,713 rpm 182 lbs.ft. @ 3,847 rpm

Power Increase:

+ 11.5 HP

+ 15.3 LBS.FT.





Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0

TRAIL TOOLS (Wrangler JK Only)

Packed with extra functions, the Bully Dog GT for Jeep is designed to help you get the most out of your ride; the following options are available on the Special Functions menu.



Tire Pressure Monitoring System:

Eliminate that a light on your dash.

Stock Setting: A stock Jeep will have preset value in the ECM of 30-34 PSI (depending on the vehicle). The OEM TPMS system will allow for a (+/-) 6 PSI variation in tire pressure from the stock set level before it throws a light.

GT Jeep Setting: Change the stock preset value to a number between 10 and 60 PSI. Once that setting is changed the OEM TPMS system will still allow for the + or – 6 PSI variation so tire pressure could be reduced to as low as 4 PSI. (The sensors in the tires and the value on a manual pressure tester will not necessarily match.)



Idle Adjust

We all get stuck at some point. Idle up to power that winch.

Stock Setting: 700 RPM. Press Disable to return to the stock setting.

GT Jeep Setting: 500-1500 RPM. Enable and select a value for the Engine Idle position. This is a great feature for keeping vehicle voltage up while running auxiliary electronics off of the vehicle's power system. For example, this special feature comes in handy for running a winch.

- This feature does not take effect until the GT is at the Main Gauge Screen.
- This feature only works in park or neutral; it will automatically turn off as soon as the vehicle is put into gear. It will automatically turn back on the next time the vehicle goes into an idle state.



Engine Fan:

Turn your engine fan off for water crossings. Or run the engine fan in high speed mode at any temp.

Stock Setting: The engine fan will activate the low speed setting if coolant temp reaches 215° F and its high speed setting will activate at about 225° F. Press Stock to return to the stock setting.

GT Jeep Setting: Use the Engine Fan feature to run the engine fan in high speed mode or disable it completely at any coolant temperature level (this option works like an on/off switch).

NOTE: The coolant temperature light will not indicate if the vehicle begins to overheat when the fan is disabled.



Disable Traction Control (Completely):

When it gets muddy you'll need to disable your Traction Control completely! Available at the click of a button.

Stock Setting: Enabled. Press Enable to return to the stock setting.

GT Jeep Setting: Disabled. Highlight the "disable" button to instantly turn off traction control.

• After re-enabling traction control (reverting back to stock settings) the dash light may stay lit until the key is cycled.



Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0

TRAIL TOOLS (Wrangler JK Only)



Axle Ratio

Calibrate for change in axle gear ratio.

Stock Setting: Changing the axle gear ratio will result in not only an inaccurate speedometer but also can put the Jeep into limp mode

GT Jeep Setting: Allows for calibration during the download enabling the jeep user to put different gears on the vehicle and avoid incorrect speedometer and the vehicle will not go into limp mode.



Tire Size

Calibrate for change in tire size.

Stock Setting: Changing tire size will cause the speedometer to read incorrectly.

GT Jeep Setting: allows for change in tire size within the range of 32.2" and 45" calibrating the speedometer in the vehicle.



Sway Bar Disconnect: (Rubicon only)

When you need increased articulation disconnect your sway bars in 2WD, 4WD Hi and 4WD Low up to 30MPH.

Stock Setting: Disable for 4WD-low only up to 30 mph. Press Disable to return to stock setting.

GT Jeep Setting: 4WD Low, 4WD Hi, and 2WD up to 30 mph. To enable this feature, highlight the Enable button and return to the Main Gauge screen, then press the sway bar button on the vehicle dash.

- At 30 mph and above, the sway bar will automatically reconnect itself.
- If the vehicle returns to a speed lower than 30 mph, the sway bar will automatically disconnect as long as the dash button is still activated.



Axle Lockers: (Rubicon only)

Increase traction by engaging your lockers in 2WD, 4WD Hi and 4WD Low up to 30mph.

Stock Setting: Lock front and rear differentials in 4WD Low only. Press Disable to return to the stock setting.

GT Jeep Setting: Lock front and rear diffs in 4WD Low, 4WD Hi, and 2WD. To enable, highlight the enable button and return to the Main Gauge screen, then press the locker button on the dash once for rear and twice for front and rear.

- Automatically unlock frotn locker above 20 mph.
- Automatically unlock rear locker above 30 mph.
- Both lockers will automatically reengage (lock) if the vehicle returns to acceptable speeds and the system is still activated.



Product Information Sheet v1.0

Wrangler JK | Commander | Grand Cherokee

ADDITIONAL FEATURES:

Accessory Delay:

Control how long accessory items will remain on after the engine has been turned off and the doors remain closed. Accessory items include the radio, cigarette lighter, etc.

Headlight Delay:

Set the amount of time that the headlights remain on after the engine has turned off.

Horn Chirp On Lock:

The horn will sound each time the doors are locked by remote (when this feature is enabled with the GT for Jeep).

Optical Flash On Lock:

The headlights will flash each time the doors are locked by remote (when this feature is enabled with the GT for Jeep).

Auto Door Lock:

The vehicle will automatically lock all the doors when the vehicle starts moving (when this feature is enabled).

Unlock Driver Door:

Unlock all of the vehicle doors with one button press on a remote door lock unit (when this feature is disabled).

MDS

Disable 4-cylinder mode ('12-'13 only, 3.6L).

Speed Limiter

The vehicle speed limiter can be adjusted from 45 to 200 mph.

Rev Limiter (Drive)

Set the engine speed limiter between 5000 and 6200 rpm on '07-'11 vehicles (3.8L) and between 5000 and 6700 on '12-'13 vehicles (3.6L) (while the vehicle is in gear).

Rev Limiter (Idle)

Set the idle engine speed limiter between 5000 and 6200 rpm (while the vehicle is in neutral or park).

Adjust WOT Shift Points (Automatic Only)

Set full throttle shift points up to 6100 rpm between first gear and second gear and between second gear and third gear.



Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0



| JEEP | |
|----------------------|----------------------------|
| WRANGLER JK | GRAND CHEROKEE |
| 3.8L '07-'11 | 4.7L V8 '08-'09 |
| 3.6L '12-'13 | 5.7L V8 Hemi '06-'13 |
| COMMANDER | 6.1L V8 Hemi '06-'10 SRT 8 |
| 4.7L V8 Hemi '08-'09 | |
| 5.7L V8 Hemi '06-'10 | |

Scan the QR Code for the most current applications





Wrangler JK | Commander | Grand Cherokee

Product Information Sheet v1.0

PRODUCT UPGRADES



Heavy Duty RAM Suction Cup

PART# 30600

UPC CODE: 681018306003

PACKAGING WEIGHT: .45 LB

PACKAGING DIMENSIONS: 6" x 2" x 10"



Pyrometer Probe Kit

PART# 40384

UPC CODE: 681018403849

PACKAGING WEIGHT: 1 LB

PACKAGING DIMENSIONS: 7" x 5" x 2"



0² Sensor

PART# 40388

UPC CODE: 681018403887

PACKAGING WEIGHT: .00 LB

PACKAGING DIMENSIONS: 7" x 5" x 2"